

COMPARISON OF THE METHYLENE BLUE DYE REMOVAL ABILITY OF MAGNETIC MATERIALS SYNTHESIZED FROM VARIOUS TYPES OF FRUIT PEELS

ThanhThuy Tran* · ThanhNha Tran, AnhThi Hoang, VanTrong Nguyen

Faculty of Chemical Engineering, Industrial University of HCM City, Nguyen Van Bao Street, HCM City, 70000, Vietnam

**e-mail: tranthithanhthuy@iuh.edu.vn*

Abstract. This study involved the synthesis of magnetic materials derived from pomelo peel (PP@Fe₃O₄), durian peel (DP@Fe₃O₄), and banana peel (BP@Fe₃O₄). The characteristics of these materials were examined using SEM, FTIR, XRD, and BET techniques. The adsorption parameters for Methylene Blue using these magnetic materials, including pH, material quantity, and adsorption duration, were investigated to optimise adsorption efficiency. Results indicated that the most effective material quantities for PP@Fe₃O₄, DP@Fe₃O₄, and BP@Fe₃O₄ were 0.09, 0.18, and 0.06 g, respectively. Similarly, the optimal pH values for adsorption were found to be 5.9, 7.7, and 7.4, while the most efficient adsorption times were determined to be 95.3, 42.2, and 128.4 minutes, respectively. These conditions led to the highest Methylene Blue adsorption efficiencies of 97.7%, 97%, and 98.9%, respectively. These materials were employed to assess the Chemical Oxygen Demand (COD) index in select water samples.

Keywords: bio-magnetic adsorbent, sustainable technology, fruit peel waste utilization